

LIAQUAT UNIVERSIT

OF MEDICAL & HEALTH SCIENCES JAMSHORO

Telephone: + 9213350, Exch.771240, Ext. + 122

Email: storesectionlumhs@yahoo.com, Web Site: www.lumhs.edu.pk

Technical Comparative Statement of Tender for Purchase and Supply of Category B. Computers, Stand & Window Air Conditioners, Split Air Conditioners, Chairs, Fans Generator 50 KV, Rostrum Podium, IT Equipments, Furniture & Others Items for Various Departments Of LUMHS Jamshoro.

S. No.	Name of Items	MS. Rock well enterprises	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S Internationa I Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
01	Supply & Installation Rostrum Podium, Heavy Duty steel body having electro static power coated built in dual amplifier system with multi input per amplifier built in to professional speaker system t external speaker output with independent level control it 100V line to operate as many speakers one cordless hand held dynamic microphone with built in RF receiver and Antenna available for all accessories like goose microphone hand held gear microphone. Reading light and cable seats in lockable rostrum doors One year warranty	Not Quoted	Rejected due to country origin	Supply & Installation Rostrum Podium, Heavy Duty steel body having electro static power coated built in dual amplifier system with multi input per amplifier built in to professional speaker system t external speaker output with independent level control it 100V line to operate as many speakers one cordless hand held dynamic microphone with built in RF receiver and Antenna available for all accessories like goose microphone hand held gear microphone. Reading light and cable seats in lockable rostrum doors One year warranty	Not Quoted	Hevy duty MD steel body having electron stable powder coated Built in dual amplifier system multi input pre amplifier built in two professional speaker system on fron side external speaker out put with independent level control at 100 line to operate as many 02 wall mount speakers one cordless hand held dynamic microphone with built in RF Receiver and antenna One gooseneck microphones on dice of the rostrum with XLR connectors warranty 1 Year	Not Quoted	Not Quoted	Not Quoted	M/S T.K Medical instruments & M/S Rajput Engineering Company are quoted & accepted
02	Study Chairs as per sample	Not Quoted	Not Quoted	Quoted as per sample	Quoted as per sample	Not Quoted	Not Quoted	Frame Steel pipe seat and back cushion with leather with two arms(imported Chair)	Quoted Study Chairs Boos	M/S M.S International & M/S S.S Trading Company are quoted & Accepted as per sample
03	Cupboard (6'x3'x2') (Best Quality)	Not Quoted	Not Quoted	Cupboard (6'x3'x2')	Not Quoted	Not Quoted	Not Quoted	Quoted as per specification	Quoted size 6x3x2	M/S T.K Medical Instruments, M/S M.S International & M/S S.S Trading Company are quoted & Accepted as per sample
04	Ceiling Fan Pak or equivalent 100% copper	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Pak Fan Size 56"	Pak Fan 100% Copper 56"	Pak Fan 100% Copper 56"	M, AMISCO, M/S M.S International & M/S S.S Trading Company are quoted & Accepted as per sample

Mr. Muhammad Ali Bohyo Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi Director Finance, LUMHS Jamshoro Member

S. No.	Name of Items	MS. Rock well enterprises	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S International Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
05	Student Chairs as per sample	Not Quoted	Not Quoted	Quoted as per sample	Quoted as per sample	Not Quoted	Not Quoted	Option A,B,C Frame Steel pipe seat and back cushion with leather with two arms(imported Chair)	Quoted Frame steel Pipe Cuttion with two arms China	M/S Asfand Traders, M/S M.S International & M/S S.S Trading Company are quoted & Accepted as per sample
06	Split Air Conditioner 1.5 ton 18000 BTU with remote control, energy saving technology with all accessories and installation	Not Quoted	Not Quoted	Not Quoted name of Company & specification so rejected	Split AC 1.5 Kenwood	Not Quoted	Orient Split AC 1.5 ton Model No. OS18 with installation as described in attached leaflet	Not Quoted	Not Quoted	M/S Amisco & M/S Asfand traders are quoted & Accepted
07	Wall mount Project screen with installation 6X6 1 height adjustable, stopping at any height 2 Wireless remote control, very easy operation 3 high quality materials, glass beaded screen and matte white screen 4. Advanced tubular or synchronous motor system, supplying quiet, smooth ups and downs and exact orientation. 5. new, bright, high gain, fabric with good quality supplying clear and vivid pictures 6. designed for ceiling or wall mounting 7. easy installation and convenient movement	Not Quoted	Rejected specification not provided	Not quoted	Quoted 6x6	Motorized Projector screen Size 6x6 Best Quality	Not Quoted	Not Quoted	Not Quoted	M/S Asfand Traders & M/S Rajput Engineering Co. are Quoted & accepted
08	Meji Board with stand (Best Quality)	Not Quoted	Not Quoted	Quoted meji board	Not Quoted	Not Quoted	Not Quoted	Quoted Meji Board with stand	Not Quoted	M/S T.K Medical Instruments & M/S M.S International are quoted & Accepted
09	Seminar Room Chairs as per sample Frame Steel pipe Seat & Back Cuttion with Imported leather with two arms Imported Made	Not Quoted	Not Quoted	Quoted Seminar Chairs	Not Quoted	Not Quoted	Not Quoted	Frame Steel pipe seat and back cushion with leather with two arms(imported Chair)	Quoted Seminar room Chairs as per sample	M/S T.K Medical Instruments, M/S M.S International & M/S S.S Trading Company are quoted & Accepted as per sample
10	Desktop Computers Core-i5 9th Generation, 8GB Ram, 1TB Sata Hard Drive, Intel HD Graphics or Better Keyboard, Mouse 19"Inch LED.	Not Quoted	Rejected specification not meet	Not Quoted	Rejected specification not meet	Rejected specification not meet	Not Quoted	Not Quoted	Not Quoted	Not Qualified Any Firm

Mr. Muhammad Ali Bohyo

Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi Director Finance,

LUMHS Jamshoro Member

Mr. Abdul Raheem Shaikh

Manager Network Department of IT. LUMHS Jamshoro Member

No.	Name of Items	MS. Rock well enterprises	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S International Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
11	Desktop Computers Core-i7 9th Generation, 16GB Memory, NVDIA Ge Force GTX 1080. 256GB Solid State Drive + 2TB SATA HARD DRIVE Keyboard, Mouse, 19"LED Monitor OR Better	Not Quoted	Rejected specification not meet	Not Quoted	Rejected specification not meet	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Qualified Any Firm
12	Paper Shredder (Latest Model)	Not Quoted	Oastar Paper Shredder	Not Quoted	Not Quoted	Eclipse Paper Shredder Machine Model #EP-OBC sheet capacity 08 sheets capacity Papers/Staplers/CDs/Cre dit cards power rating 70 watts One Year Warranty	Not Quoted	Not Quoted	Not Quoted	M/S Data Point, M/S Rajput Engineering Company are Quoted & accepted
13	HP Laser Jet Printer or Equivalent Print Type: Mono Laser Printer Print Speed Black: Normal quality upto 62ppm, Resolution: Upto 1200X1200dpi, Duty Cycle upto 275000 monthly Memory: 512MB (1GB Max.) Paper Handling Input tray 1:100-sheet multipurpose Input tray 2: 500-sheets Output bin 1:500-sheets Connectivity: USB & Ethernet eprint: Yes LCD Display: 4-Line LCD (Color text and graphics)	Not Quoted	HP laser Jet Printer HP608N Print type: mono Laser Printer print speed Black Normal Quality up to 62ppm, resolution: up to 1200x1200dpi, Duty cycle up to 275000 monthly memory: 512MB (1GB Max.) Pager Handling Inguiting to 1200-sheets Output bin 1: 500-sheets Connectivity: USB & Elbernet opint: Yes LCD Display: 4-Line LCD (Color text and graphics)	Not Quoted	Quoted HP 608 DN	HP Laser jet Enterprise Model # M608N Print Speed up to 61 ppm Print Resolution: 1200x1200dpi Duty Cycle Monthly 275000 pages Mobile Printing Capability HP e print Apple air print Mopria-certified One Year Warranty	Not Quoted	Not Quoted	Not Quoted	M/S Data Point, M/S Rajput Engineering Company & M/S Asfand Traders are Quoted & accepted
14	Laser jet Printer OR Equivalent Printer Speed upto 40ppm Black 2 Paper Tray (Standard) Toner with Jet Intelligence Resolution 1200 Monthly Cycle upto 80,000 pages Memory 128MB Ram, Paper handling 150Sheet.	Not Quoted	HP 402DN Laser jet Printer Printer Speed upto 40ppm Black 2 Paper Tray (Standard) Toner with Jet Intelligence Resolution 1200 Monthly Cycle upto 80,000 pages Memory 128MB Ram, Paper handling 150Sheet.	Not Quoted	Quoted HP 402 DN	HP Laser jet enterprise Model # M402N Print speed: up to 40PPM Print Resolution: 600x600dpi Duty Cycle Monthly 80000 pages Mobile Print Capability HP eprint Apple Air Print TM Mopria-certified One Year Waranty	Not Quoted	Not Quoted	Not Quoted	M/S Data Point, M/S Rajput Engineering Company & M/S Asfand Traders are Quoted & accepted

Mr. Muhammad Ali Bohyo

Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi

Director Finance, LUMHS Jamshoro Member

S. No.	Name of Items	MS. Rock well enterpris	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S International Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
15	Scanner Ype, Flatbed, ADF, Scan resolution, optical Up to 600 dpi (colour and monochrome, ADF), Up to 1200 dpi (colour and monochrome, flatbed), Duty cycle (daily) Up to 1,500 pages (ADF), Bit depth, 24-bits external 48-bits internal Levels of grayscale, 256, Multifeed detection No, Task speed, 10 x 15 cm Colour Photo to file (200 dpi, 24-bit). TIFF): about 6.8 sec for multiple image scan, about 3.1 sec for single image scan, 10 x 15 cm Colour Photo to email (150 dpi, 24-bit): about 3.7 sec for single image scan, ADR about 3.7 sec for single image scan, ACR AT PDF to email (300 dpi, 24-bit): about 11.3 sec for single image scan, OCR A4 to RTF (200 dpi, 24-bit): about 14.96 sec for single image scan, Scan size, maximum, 216 x 297 mm, Media types, Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index) Media weights, supported ADF, 60 to 105 g/m² Scan file format, For text and images: PDF, PEG, PNG, BMP, TIFF, TXT(Text), RTF (Rich Text) and searchable PDF Scan input modes, Scan front-panel function: Save as PDF, Save as JPEG, Email as PDF and Send to Cloud; Scan in Windows OS, Easy Scan/IcA in Mac OS and third parties applications via TWAIN, Scanner advanced features, One pass duplex scanning; One button scan; OCR; Configurable scan shortcuts, Control panel, 5 buttons (including Sleep/Power button), 7 LEDs (including Power, Error, Scan to which destination and Simplex/Duplex)	Not Quoted	HP 2500FIADF SCANNET Scanner type Flatbod, ADF, Scan resolution, optical Up to 600 dpi (colour and monochrome, ADF). Up to 1200 dpi (colour and monochrome, flatbod), Duty cycle (daily) Up to 1.500 page (ADF), Bid (edph, 24-bit) schemal 48-bits internal Levels of grayscale, 256, Multified detection Floor to file (200 dpi, 24-bit), Broth 19 Paolo to file (200 dpi, 24-bit), Broth 3 See for multiple image scan, about 3.1 see for single image scan, 10 x 15 cm Colour Photo to mail (150 dpi, 24-bit), Broth 3.7 see for single image scan, 10 x 15 cm Colour Photo to mail (150 dpi, 24-bit), Broth 3.7 see for single image scan, 10 x 15 cm Colour Photo to mail (150 dpi) x 1-bit; shooth 3.7 see for single image scan, 10 x 15 cm Colour Photo to mail (150 dpi) x 1-bit; shooth 3.7 see for single image scan, AP DF to creatil (300 dpi, 24-bit); shooth 11.3 see for single image scan, CRR A4 to RTP (200 dpi, 24-bit); shooth 11 see for single image scan, Scan to the standard of single image Scan Broth (Scan Scan Hort) (Scan the standard of scan to the standard of scan to the scan to the scan scan to the sca	Not Quoted	HP Scan Jet Pro-flatbed Scanner Model# 2500 f1 Scan Technology CMOS CIS (contact Image sensor) Scan Type: Flatbed, ADF Scan Speed, 20ppm/40ipm Scan Resolution: 600x600dpi One Year warranty	HP Scan Jet Pro- flatbed Scanner Model# 2500 f1 Scan Technology CMOS CIS (contact Image sensor) Scan Type: Flatbed, ADF Scan Speed, 20ppm/40ipm Scan Resolution: 600x600dpi One Year warranty	Not Quoted	Not Quoted	Not Quoted	M/S Data Point, M/S Rajput Engineering Company & M/S Asfand Traders are Quoted & accepted
16	Supply & Installation Window Air Conditioner 1.5Ton (Latest Model)	Not Quoted	Not Quoted	Rejected due to not attached specification & authorization	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Qualified Any Firm
17	Generator 50 KV with installation Governing Type: Mechanical Cylinder arrangement: Vertical infine Bore and Stroke mm 105X127 Displacement / Cubic capacity liters: 3.3 Induction System: Tumbocharged Cyclic - 4 stroke Comparison System: Direct Injection Compession System: Direct Injection Compession System: Direct Injection Compession Ratic: 172-3.4 Comparison System: Direct Injection Compession Engine: Proceeding Frequency and Engine Speed: 50HZ X1500rpm, Fine @ 50% load L/hr 55 (73.8) 60.5 (81.1) @ 75% load L/hr 72 @ 100% load L/hr 13.9 Tod conduct Capacity Line: 10.3 10.2 Tod conduct Capacity Line: 10.3 10.2 Foot Took Capacity Line: 11.0 10.2 UK, USA, JAPAN, EUROPE	Not Quoted	Generator 50 KV with Installation Perkins UK Governing Type: Mechanical number of 3 (ylinder arrangement: Vertical inline bore and stroke mm 105x127 displacement/ cubic capacity liters, 3.3 induction system Turbo charged cycle 4 stroke combustion system: direct injection compression ratio: 17.25:1 rotation: anti-clock wise, viewed from flywheel cooling system water-cooled frequency and engine speed: 50Hz X1500rpm, fuel compression	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	M/S Data Point technologies has Single firm quoted & Accepted

Mr. Muhammad Ali Bohyo

Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi

Director Finance,

LUMHS Jamshoro Member

S. No.	Name of Items	MS. Rock well enterprises	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S Internation al Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
18	UPS 650kv for Computer o	Not Quoted	Crown UPS 650 kv for computer	Not Quoted	Quoted euro Mark 650va	Stabimatic UPS Gemini Series Model # 650VA 12 volt/7 Ampere 10 to 15 minutes Back up Time One Year Warranty	Not Quoted	Not Quoted	Not Quoted	M/S Data Point, M/S Rajput Engineering Company & M/S Asfand Traders are Quoted & accepted
19	Refrigerator 12 Cub ft 220 voltage, energy saving non rust body	Not Quoted	Not quoted	Not Quoted	Not Quoted	Orient Refrigerator 12 cubic ft. One Year warranty	Orient Refrigerator 12CFT Model No. 330 ICE as Described in attached leaflet	Not Quoted	Not Quoted	M/S AMISCO & M/S Rajput Engineering Company are Quoted & accepted
20	Air Conditioner (4-ton) 48000 Btu, with remote control energy saving technology with all accessories and installation	Not Quoted	Not quoted	Rejected Not Quote Company name & Specification Quoted Standing AC 4 ton	Ken wood	Not Quoted	HAIER FLOOR STANDING AC 4 TON MODEL NO. 48 WITH INSTALLATION IN ATTACHED LEAFLET	Not Quoted	Not Quoted	M/S asfand Traders & M/S AMISCO are quoted & accepted
21	Supply & Installation Complete Sound System with Table Microphones along with Echo cancellation Device	Not Quoted	Rejected	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not qualified Any Firm
22	Supply & Installation of Carpet for Video Conference Hall 60.7x42	Not Quoted	Not quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Quoted Carper as per epecificatio	Quoted as per sample	M/S M.S International & M/S S.S. Trading Company are
23	Office Table Size 6X3 ft, Executive Table with Side Rack & moveable drawers. Pedestal made of 18mm thick chipboard with Ebony veneer pressed. Mate Polish finish. All hardware complete in all respect. Executive Table Size Length 72 inches, Width 36 inches, Height 30 inches, Made of Shesham wood, Color Brown Mahogany. Wood Drawers / Cabinet 3 drawers with lock on one side while one drawer and cabinet on other side, side rack dimensions: Length 36 inches, width 18 inches, height 30 inches, 1 with Keyboard tray dimensions. Technical Evaluation Committees	Not Quoted	Not quoted	Office Table Size 6X3 ft, Executive Table with Side Rack & movcable drawers. Pedestal made of 18mm thick chipboard with Ebony veneer pressed. Mate Polish finish. All hardware complete in all respect. Executive Table Size Length 72 inches, Widh 36 inches, Height 30 inches, Made of Sheeham wood. Color Brown Mahogany. Wood Drawers / Cabinet's drawers with lock on one side while one drawer and cubinet on other side, side rack dimensione. Length 36 inches, width 18 inches, height 30 inches, 1 wilth Leyboard tray dimensions.	Quoted 6x3	Not Quoted	Not Quoted	Quoted Office Table Size 6x3ft	Office Table Executive Tble size length 72" inches, width 36" inches made of shesham wood color brown mahogany top 5mm mate polish side rack size length 36" inches with 18" inches 30" inches with one keyboard tray with thee moveable drawers imported locks and handle	quoted & accepted M/S M.S International & M/S S.S. Trading Company, M/S Asfand Traders & M/S T.K Medical Instruments are quoted & accepted

Mr. Muhammad Ali Bohyo

Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi Director Finance,

LUMHS Jamshoro Member

Mr. Abdul Raheem Shaikh

Manager Network Department of IT. LUMHS Jamshoro Member

S. No.	Name of Items	MS. Rock well enterpris es	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S Internation al Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
24	Office Table Size 6X4 ft, Executive Table with Side Rack & moveable drawers. Pedestal made of 18mm thick chipboard with Ebony veneer pressed. Mate Polish finish. All hardware complete in all respect. Executive Table Size Length 72 inches, Width 36 inches, Height 30 inches, Made of Shesham wood, Color Brown Mahogany. Wood Drawers / Cabinet 3 drawers with lock on one side while one drawer and cabinet on other side, side rack dimensions: Length 36 inches, width 18 inches, height 30 inches, 1 With Keyboard tray dimensions.	Not Quoted	Not quoted	Office Table Size 6 X4 ft, Executive Table with Side Rack & moveable drawers. Pedestal made of 18mm thick chipboard with Ebony veneer pressed. Mate Polish finish. All hardware complete in all respect. Executive Table Size Length 72 inches, Width 36 inches, Height 30 inches, Made of Shesham wood, Color Brown Mahogany. Wood Drawers / Cabinet 3 drawers with lock on one side while one drawer and cabinet on other side, side rack dimensions: Length 36 inches, width 18 inches, height 30 inches, 1 With Keyboard tray dimensions.	Quoted Size 6x4	Not Quoted	Not Quoted	Quoted Office Table size 6x4ft Option A & B	Office Table 6x4 Executive table size length 72" width 48" height 30" made of shesham wood color brown mahogany top 5mm glass mate polish best quality size length 36" inches width 18" inches 30" inches with one keyboard tray with thee moveable drawers imported locks and handle	M/S M.S International & M/S S.S. Trading Company, M/S Asfand Traders & M/S T.K Medical Instruments are quoted & accepted
25	Multimedia Projector Display System 3 LCD System Size of effective display area 0.63 (16mm) X3 Bright Era LCD Panel, Aspect ratio: 4:3 Number of Pixels 2,359,296 (1024X768X3) Pixels Focus Manual Zoom – Powered Manual Manual Type Ultra high pressure mercury lamp Wattage: 210 W Type, Lamp mode: standard – 5000 H, 1000 H (Cleaning) Standard – 2300L Computer Input UXGA 1600X1200dots Sony or Equivalent	Not Quoted	Sony DX-221 Multimedia Projector Display System 3 LCD System Size of effective display area 0.63 (16mm) X3 Bright Era LCD Panel, Aspect ratio: 4.3 Number of Pixels 2,359,296 (1024X768X3) Pixels Focus Manual Zoom – Powered Manual Manual Type Ultra high pressure mercury lamp Wattage: 210 W Type, Lamp Replacement Time, Lamp mode: standard – 5000 H, 1000 H (Cleaning) Standard – 2300L Computer Input UXGA 1600X1200dots	Not quoted	Not Quoted	Hitachi Multimedia Projector Model # CP-EX252 3LCD Technology 2,700 ANSI Lumens white/color out put 2,000 1 contrast ratio XGA Resolution (124x786) 5,000 Hors lamp life (Normal Mode) 10,000 Hours (Eco Mode) Power saving stand by mode less than 0.5w VGA HDMI, USB & LAN 1x16Watts Mono Audio output	Not Quoted	Not Quoted	Not Quoted	M/s Data Point Technologies & M/S Rajput engineering company are quoted & accepted
26	Seminar table as per sample	Not Quoted	Not Quoted	Seminar Table Quoted	Not Quoted	One Year Warranty Not Quoted	Not	Quoted Seminar Table	Seminar Table Size 8x4 Frame lamination top lamination gola pakki	M/S M.S International , M/S T.K Medical
	•				Quoteu		Quoted	Option A & B	tali mate polish	I.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
	Revolving Chairs Steel Base 5 wheel seat & back cuttion with Imported leather two arms (Best Quality) Technical Evaluation Committee	Quoted Lr 5119	Not Quoted	Revolving Chairs Steel Base 5 wheel seat & back cuttion with Imported leather two arms	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Imported Revolving Chairs as per sample	M/S M.S Rockwell , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted

Mr. Muhammad Ali Bohyo Director, Institute of Biomedical, LUMHS Jamshoro (Convener)

Mr. Ash Ali Abbasi Director Finance, LUMHS Jamshoro Member

S. No.	Name of Items	MS. Rock well enterprises	M/S Data Point Technologies	M/S T.K Medical Instruments Co.	M/S Asfand Traders	M/S Rajput Engineering Company Karachi	M/S Amisco.	M/S M.S International Hyderabad	M/S S.S. Trading Company Hyderabad	Remarks
28	Conference Table as per sample	Not Quoted	Not Quoted	Quoted Conference Table	Quoted	Not Quoted	Not Quoted	Quoted Conference Table Option A & B	Conference Table Size 12x4x2.5 frame lamination top,gola pakki tali mate polish	M/S asfand Traders, M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
29	Steel Chairs (3 Seater)	Quoted LR-503	Not Quoted	Quoted Steel Chair 3 seater	Not Quoted	Not Quoted	Not Quoted	Quoted Steel Chair 3 seater	Imported steel 8 seater steel steel	M/S Rockwell Enterprises, M/S M.5 International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
30	White Board Specification:- Board Size# 92" Finish Native Ratio # 16:10 OR Best Quality	Not Quoted	Not Quoted	White Board Specification:- Board Size# 92" Finish Native Ratio # 16:10	Not Quoted	Not Quoted	Not Quoted	Quoted White Board as per specification	Quoted White Board size 4x5 ftbest quality	M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
31	Wooden File Cabinet Frame Imported Partex Shed gola paki tali Mad polished vornet Color with Imported Lock and Handel Size: 48"X20"	Quoted Model No. 7	Not Quoted	Wooden File Cabinet Frame Imported Partex Shed gola paki tali Mad polished vormet Color with Imported Lock and Handel Size: 48"X20"	Not Quoted	Not Quoted	Not Quoted	Quoted Wooden File Cabinet	Wooden file cabinet Size 48"x20 Frame imported partex shed gola pakki tali mate polish vorned color with imported lock and handle	M/S Rockwell Enterprises, M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
32	Vertical Blinds (Best Quality) As per size of Digital resource Centre & Advanced Training Lab IT Department	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Not Quoted	Quoted Vertical Blinds as per sample	M/S S.S Trading Company has single firm quoted & acceted
33	Dustbins Large Size 100 Ltr with Cover wheel and paddle	Not Quoted	Not Quoted	Dustbins Large Size 100 Ltr with Cover wheel and paddle	Quoted 100 liter with cover	Not Quoted	Not Quoted	Quoted Dust Bin large Capacity 100 liters plastic Material	Imported dustbin large size 100 ltr body fiber material with cover and two wheels made in china	M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
34	Executive Office Visitor Chairs (as per sample)	Quoted LR 5080	Not Quoted	Quoted as per sample	Quoted	Not Quoted	Not Quoted	Quoted office visitor chair	Quoted office visitor chair as per sample	M/S Rockwell, M/S asfand Traders, M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
35	Executive Office Sofa Set Five Seater (Chester Style)	Not Quoted	Not Quoted	Quoted as per sample	Quoted	Not Quoted	Not Quoted	Quoted Executive Office sofa set 5 seater (Chester style)	Quoted Executive Office sofa set 5 seater (Chester style)	M/S asfand Traders, M/S M/S international , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted
36	Centre Table as per sample	Not Quoted	Not Quoted	Quoted as per sample	Quoted	Not Quoted	Not Quoted	Quoted Centre Table	Imported Centre Table size 3.5x2 frame tali wooden top 8mm Glass	M/S asfand Traders, M/S M.S International , M/S T.K Medical Instruments & M/S S.S. Trading Company are quoted & accepted

Mr. Muhammad Ali Bohyo Director, Institute of Biomedical, LUMHS Jamshoro (Convener) Mr. Asif Ali Abbasi Director Finance, LUMHS Jamshoro Member

MINUTES OF MEETING

The Meeting of Technical Committee regarding technical evaluation bids of Tender for Purchase and Supply of Category B. Computers, Stand & Window Air Conditioners, Split Air Conditioners, Chairs, Fans Generator 50 KV, Rostrum Podium, IT Equipments, Furniture & Others Items for Various Departments Of LUMHS Jamshoro was in the Office of the Chairman, Central Purchase committee, LUMHS, Jamshoro.

The following officers attended the meeting.

01. Mr. Muhammad Ali Bohyo

Director, Institute of Biomedical, LUMHS Jamshoro Convener

02. Mr. Asif Ali Abbasi

Director Finance, LUMHS Jamshoro Member

03. Mr. Abdul Raheem Shaikh

Manager, Network Department of IT, LUMHS Jamshoro

Technical Member

The Meeting started with the name of Almighty Allah. The following firms secured more than 70% score and were technically qualified for financial bid opening. The bidding procedure was single stage two envelope.

- 1. M/S Rock Well Enterprises
- 2. M/S Data Point Technologies
- 3. M/S T.K Medical Instruments co.
- 4. M/S Asfand Traders
- 5. M/S Rajput Engineering Company
- 6. M/S AMISCO
- 7. M/S M.S. International Hyderabad
- 8. M/S S.s Trading company Hyderabad

The Technical documents of participated firms were thoroughly examined / evaluated as per given Bid evaluation criteria above firms have qualified.

M/S Rock Well Enterprises has Quoted Items Serial No. 27,29,31,34, quoted & Accepted as per sample M/S Data Point Technologies has Quoted Items Serial No. 1,7,10,11,12,13,14,15,17,18,25, Quoted & Accepted qualified as per Specification

M/S T.K Medical Instruments co. has quoted Items Serial No. 1,2,3,5,8,9,16,23,24,26,27,28,29,30,31, 33,34,35,36, Quoted & Qualified as per sample & items serial No. 6,20, has quoted rejected as

M/S Asfand Traders has Quoted Items Serial No. 2,5,7,10,11,13,14,15,18,23,24,28,33,34,35,36, quoted & accepted as specification & Sample & Item Serial No. 6,20, are rejected not company name & Specification

M/S Rajput Engineering Company has Quoted Items Serial No. 1,7,12,13,14,15,18,19,25, quoted & accepted & Item Serial No. 10 is rejected authorized Certificate Not available

M/S AMISCO has quoted Items No.4,6,19,20, has quoted & accepted

M/S M.S. International Hyderabad has quoted Items serial No. 2,3,4,5,8,9,22,23,24,26,28,29,30,31, 33,34,35,36 are quoted & accepted as per sample

M/S S.S Trading company Hyderabad has quoted Items Serial No. 2,3,4,5,9,22,23,24,26,27,28,29,30, 31,32,33,34,35,36, are quoted & accepted as per sample

In the end the Convener of Tender Committee thanked all members for attending the meeting.

Mr. Muhammad Ali Bohyo Director, Institute of Biomedical,

LUMHS Jamshoro (Convener)

Mr. Asif Ali Abbasi Director Finance.

LUMHS Jamshoro (Member)



Doc# LUMHS/PSS/-4038 ISSUE DATE: 13/6/5019

Liaquat University

Of Medical & Health Sciences, Jamshoro Website: www.lumhs.edu.pk
Email: storesectionlumhs@yahoo.com
Phone No. 022-9213350

Say no to Corruption

To,

- 1 MS. Rock well enterprises
- 2 M/S Data Point Technologies
- 3 M/S T.K Medical Instruments Co.
- 4 M/S Asfand Traders
- 5 M/S Rajput Engineering Company Karachi
- 6 M/S Amisco.
- 7 M/S M.S International Hyderabad
- 8 M/S S.S. Trading Company Hyderabad

Subject:

EXTENSION OF BID VALIDITY

The Tender No. LUMHS/PSS/-1419 Dated: 20-02-2019 for Purchase & Supply of the Category B. Computers, Stand & Window Air Conditioners, Split Air Conditioners, Chairs, Fans Generator 50 KV, Rostrum Podium, IT Equipments, Furniture & Others Items for Various Departments of LUMHS, Jamshoro, was opened on 18th March 2019, bid validity of this tender was 90 days which will be completed on 16th June 2019.

As per rule No. 38 of SPPRA the bid validity has been extended for 90 days that is up to 14th September 2019, by competent authority under his office No. 1301, Dated: 13-06-2019. There fore an extension of your bid is also required up to 14th September 2019, for further process.

This is for your information.

Purchase & Store Section LUMHS, Jamshoro.

COPY To

- 1. The P.S to Vice Chancellor, LUMHS, Jamshoro.
- 2. The P.S to Registrar, LUMHS, Jamshoro.
- 3. Office Copy.



GOVT: CONTRACTOR GENERAL ORDER SUPPLIER

To

The Incharge

Purchase & Store Section

LUMHS Jamshoro

Subject: - Extension of Bid Validity.

Dear Sir

With reference to your letter No: LUMHS/PSS/4038 dated 13-06-2019 regarding extension of bid validity for Tender No: LUMHS/PSS/-1419 dated 20-02-2019 for the supply of items of Category B for various Deptt: of LUMHS, it is submit that we have no objection in extension of bid validity for further 90 Days i.e. up to 14 September 2019.

Thanking you

Yours sincerely

Masroor Hasan

M/s M.S International



Offering Complete Suite of IT & Security Solutions

Ref:- LUMHS-IT/10/7

Date:- July 10, 2019

Your Ref: LUMHS/PSS/4038

Subject :-

Extension of Bid validity

Dear Sir,

Referring to your letter reference mentioned above we are here by extending the bid validity of the tender No: LUMHS/PSS/1419 up to 14 September 2019.

This letter is for your information and further processing of the bid process.

Sincerely

For DATAPOINT Technologies



TRADING COMPANY

Government Contractor & General Order Supplier



0345-3506870, 0333-2627038

Ret	No:	
1101	TAO.	

Date:

To,

The Incharge, Purchase & Store Section, LUMHS, Jamshoro.

Subject: **Extension of Bid Validity**

As per your office your letter No. LUMHS/PSS/-4038, Dated: 13-06-2019 we M/S S.S Trading Company, Hyderabad accepted bid validity of tender Category B. Stationary Items, Printing Material, Photocopier Machine, Ceiling Fans & Other Items for various Department, LUMHS, Jamshoro.

S.S Trading Company, Hyderabad



Crown Chamber Office No. 08. First Floor, Block-4, Crown Heights, Gulshan-e-Igbal, Karachi. Phone & Fax: 021-34832593 Cell: 0332-3070380

E-mail: rec@rajputeng.com Web: www.rajputeng.com

Chairman, Central Purchase Committee. Liaquat University of Medical & Health Sciences. Jamshoro.

Ref # REC/0699/2019 Date: 02nd July 2019

Subject: Request Extend Date of Letter # LUMHS/PSS/4038, Dated: 13-06-2017.

Dear Sir,

Reference of Letter # LUMHS/PSS/4038, Date: 13-06-2019. We are not agree to extend Bid Validity because these items prices are very high because dollar fluctuation. We are only delivered ROSTRUM / PODIUM for your university because we are authorized manufacturer.

S #	Description	Qty	Extended Date
1.	Rostrum/Podium, Model # RE-100 Heavy duty MD Steel body having Electro static powder coated Built in dual Amplifier system with Multi input Pre-Amplifier. Built in two professional speaker systems on front side. External speaker output with independent level control at 100V line to operate as many as 02 wall mount speakers. One Cordless hand held dynamic Microphone with built in RF Receiver and Antenna. One Gooseneck Microphones on dice of the Rostrum with XLR connectors. Warranty For One Year	03	14 th September 2019

We are so delighted to have business with you on long term basis. Your prompt action will be highly appreciated Warm Regards

Engr. Azam Rajput Technical & Sales Manage 0321-3745630/

www.rajputeng.com

Email: rec@rajputeng.com

Ye Stock



















